

## C120 AT 52 FRONTAL

Forage Harvesters

At JF, we take your forage seriously! What about you?

Discover more below about **JF C120 AT S2 Frontal**, the version for front or rear coupling to the tractor of the forage harvester preferred by farmers worldwide.

## **FEATURES**

Front and rear coupling to the tractor for an inline driving experience, easier maneuvering and optimized harvesting in plots without space on the edges;

Ideal for seed maize farmers: harvest the male rows for use as silage, avoiding the waste of part of the investment in seed production;

 Wider row-independent header for harvesting 2 rows in maize or sorghum planted at up to 80cm spacing between rows;

 Heavy-duty transmission and reliable design from the world's leading brand of forage harvesters;

 Front drums, gathering platform, and aligners with an exclusive design for constant harvesting flow and lower stress on transmission and tractor;

24 chop sizes available with easy shifting, perfect for working in various forage, harvesting, and dry matter conditions;

Central lubrication system and built-in sharpener: guicker daily maintenance.

With JF you take complete control over the time and manner your forage is harvested!









## **TECHNICAL SPECS**

Capacity

→ Working width

Required power at PTO

C Required revolution at PTO

U Drive

up to 35 ton/h<sup>2</sup>

1 motor1

from 65 up to 95 hp

540/1000 RPM\*

Tractor PTO

Chop sizes

• Onop 31263

Number of blades

Approximate Weight

🖞 Linkage type

**Transmission system** 

24 (from 2 up 36mm)

WE TAKE
OUR FORAGE

12

930 kg

cat II

gearbox/cardar

Productivity might vary and depends on the following factors: cut size; productivity of forage per hectare; tractor power; logistic capacity (wagons) for forage transportation. Before acquiring the equipment, please talk to your dealer about the size of your tractor tire.
\*May vary according to your version. Refer to the manual for more technical details